

Version: 09

SAFETY DATA SHEET

Issue Date: June 2025 Review Date: June 2030

BLOAT CONTROL

Section 1. Identificat	on of the material and the supplier
Product: Product Use: Restriction of Use:	BLOAT CONTROL Bloat prevention in dairy cows. Refer to Section 15
New Zealand Supplier:	Deosan Manufacturing Ltd
Address:	20 Seddon Street Waharoa New Zealand
Email: Telephone: 24 Hour Emergency Contact: Emergency No:	info@deosan.co.nz 0800 336 726 (0800 DEOSAN) / +64 7 888 5628 0800 243 622 (CHEMCALL) 0800 764 766 (National Poison Centre)
Date of SDS Preparation:	30 June 2025 v2
Section 2. Hazards Id	entification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Veterinary Medicines (Open Systems Applications) – HSR100759

Pictograms



Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in SDS Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None Allocated	

Disposal Code	Disposal Statement	
P501	Dispose of according to Local Regulations or Authorities	

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	CAS NUMBER.	Wt%
Alcohol Ethoxylate	24938-91-8 or 9002-92-0	>80
Ethanol	64-17-5	<5

Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin	Wash immediately area affected to reduce injury if contact with skin happens. Remove immediately all contaminated clothing. Rinse skin with water/shower until foaming stops.
If Swallowed	Rinse mouth, drink large quantities of water, milk of magnesia, egg whites followed by vegetable oil. Call a POISON CENTER or doctor/physician if you feel unwell.
If Inhaled	Remove the person to fresh air. Have them take deep breaths of fresh air. If additional symptoms such as sustained coughing, wheezing or breathlessness persists seek medical attention.
Most important sy Symptoms:	Imptoms and effects, both acute and delayed Harmful if swallowed. Causes serious eye irritation. Exposure may cause allergic reactions (typically a skin rash) in some people. More severe reactions are very rare but will require urgent medical attention should they occur. Refer to Section 11 for more information.
Notes to Doctor:	Treat symptomatically based on individual reactions of patient and judgement of doctor.
Section 5.	Fire Fighting Measures

Hazard Type	Non-Flammable
Hazards from combustion products	None known.
Suitable Extinguishing media	In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions: water, water spray, dry powder, foam, carbon dioxide (CO2).

Precautions for	Fire-fighters should wear full protective clothing suitable for chemical
firefighters and	hazards with self-contained breathing apparatus. The substance must
special protective	be contained and prevented from entering drains and water courses in
clothing	all circumstances. Alert Fire Brigade and tell them location and nature of hazard. Clear fire area of all non-emergency personnel. Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area. Equipment should be thoroughly decontaminated after use.
HAZCHEM CODE	3Z

For emergency responders:

Wear protective equipment detailed in Section 8. Keep unnecessary people away from the hazardous area.

Environmental precautions:

Prevent, by any means available, spillage from entering drains or water course. If significant contamination of drains or waterways occurs, advise emergency services.

Methods and material for containment and cleaning up:

If possible, dike spillage area to prevent runoff and contamination of water sources. Alert Fire Brigade and tell them location and nature of hazard. An exothermic reaction will occur on exposure to water.

Contain spilled material with sand, earth, vermiculite or another non-combustible material. Prevent, by any means available, spillage from entering drains or water courses.

Neutralise/decontaminate residue.

Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains.

After clean-up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. Dispose of as per Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Operators should be trained in procedures for safe use of this material. Contact lenses should not be worn when working with this chemical.
- Read carefully and follow all instructions.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing as detailed in SDS Section 8.
- When handling, DO NOT eat, drink, or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10 and foodstuff containers.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in original containers.
- Keep containers securely sealed to protect from moisture contamination.
- Protect containers against physical damage and check regularly for leaks.
- Suitable Packaging: Corrosive resistant Plastic (HDPE) drum

Section 8	Exposure Controls /	Personal Protection
-----------	---------------------	----------------------------

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

	TWA	STEL
Substance	ppm mg/m³	ppm mg/m ³

200

380

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices Feb 2025 15TH EDITION.

Engineering Controls

No specific ventilation systems are required.

Personal Protection Equipment

Eyes	Use approved chemical safety goggles and a full-face shield. Refer to
	Personal eye protection Part 1: Eye and face protectors for occupational applications, Australian/New Zealand Standard: AS/NZS 1337.1:2010.
	Ensure that there is ready access to eye wash unit.
Skin	Wear impervious protective clothing, including chemical resistant boots, gloves, apron or overalls as appropriate to prevent skin contact. Refer to AS/NZS 2161.1:2016 Occupational Protective Gloves – Selection, use and maintenance; AS/NZS 2210.1:2010 for Safety footwear; AS/NZS 4501.1:2008 Occupational protective clothing – Guidelines on the selection, use, care and maintenance of protective clothing.
Respiratory	No specific exposure controls are needed.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Not available
Odour	Slightly Chemical
Odour Threshold	Not available
рН	7.0 – 7.8
Boiling Point	~100°C
Melting Point	~0°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Non-flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.015 – 1.023 g/ml
Bulk Density	Not available
Water Solubility	Completely
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	Product is stable under normal conditions of use, storage, and
	temperature.

Possibility of hazardous reactions	None known.
Conditions to Avoid	Avoid excessive heat, direct sunlight, moisture, high temperatures.
Incompatible Materials	None known.
Hazardous Decomposition Products	None known.

Acute Effects:

Swallowed	Harmful if swallowed. Will cause burning of digestive tract. Mixture Calculation = LD50 = 1310 mg/kg	
Dermal	This product is not classified as acutely toxic.	
Inhalation	This product is not classified as acutely toxic.	
Eye	Causes serious eye irritation.	
Skin	This product is not classified as a skin irritant/corrosive.	

Chronic Effects:

Carcinogenicity	This product is not classified as carcinogenic.	
Reproductive	This product is not classified as toxic for reproduction.	
Toxicity		
Germ Cell	This product is not classified as mutagenic.	
Mutagenicity		
Aspiration	This product is not classified as Asp Tox.	
STOT/SE	This product is not classified as STOT SE.	
STOT/RE	This product is not classified as STOT RE.	

Section 12. Ecotoxicological Information

Acute: Very toxic to aquatic life.

Chronic: Very toxic to aquatic life with long lasting effects.

Product:		
Persistence and degradability	No data available	
Bioaccumulation	The substance has no known potential for	
	bioaccumulation.	
Mobility	Soluble in water.	
Other adverse effects	No data available	

Do not allow to enter waterways.

Section 13. Disposal Considerations

PRODUCT

Return unwanted product to the manufacturer for disposal or contact the Regional Council for local chemical disposal area details.

Treatment in a biological wastewater treatment system with prior approval and arrangement is also permissible providing that the substance is rendered non-hazardous and does not pose any adverse effects to human health or the environment.

Alternatively consult an approved Waste Management company for disposal options. PACKAGING

NZ: Triple-rinse empty containers. Contact AgRecovery to arrange for pick-up or drop-off at a collection depot.

Overseas: Triple-rinse empty containers. Dispose of containers in accordance with guidance / regulations from relevant local authorities.

Observe all label safeguards until containers are cleaned and destroyed.



Precautions or methods to avoid: Do not allow to enter waterways.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB 5433:2021



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMNTALLY HAZARDOUS, LIQUID, N.O.S.	
Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 1L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Veterinary Medicines (Open Systems Applications) – HSR100759

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100L
Emergency Response Plan	100L
Secondary Containment	100L
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary	
Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible

	authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Feb 2025 15th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 30 June 2025 Review Date: 30 June 2030