

AQUAKLENZ HV

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AQUAKLENZ HV

Other means of identification : Not applicable.

Recommended use : Heavy duty cleaner

Product dilution information : 0.15 % - 0.15 %

Company : Ecolab New Zealand

2 Daniel Place

Te Rapa, Hamilton New Zealand

+64 7 958 2319

Emergency telephone

number

: 0800 243 622 (0800 CHEMCALL) +64 7 958 2372 (International)

Issuing date : 08.12.2021

Section: 2. HAZARDS IDENTIFICATION

HSNO Hazard classification

Product AS SOLD

Corrosive to Metals : 8.1 A
Skin corrosion : 8.2 B
Serious eye damage : 8.3 A
Aquatic toxicity (Acute or : 9.1 D

Chronic)

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS Label element

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Harmful to aquatic life.

Precautionary Statements : Prevention:

Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove

904002 1 / 11

AQUAKLENZ HV

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant

inner liner. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

 sulphuric acid
 7664-93-9
 10 - 30

 Phosphoric acid
 7664-38-2
 10 - 30

 N,N-dimethyldecylamine N-oxide
 2605-79-0
 1 - 5

 Alcohols, C12-15-branched and linear, ethoxylated
 120313-48-6
 1 - 5

propoxylated

Product AT USE DILUTION

No hazardous ingredients

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

904002 2 / 11

AQUAKLENZ HV

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

: Treat symptomatically. Notes to physician

Most important symptoms and effects, both acute and

symptoms.

delayed

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

: See Section 11 for more detailed information on health effects and

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

for firefighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2X

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

: Do not allow contact with soil, surface or ground water. **Environmental precautions**

Methods and materials for : Stop leak if safe to do so. Contain spillage, and then collect with non-

904002 3/11

AQUAKLENZ HV

containment and cleaning up

combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 0 °C to 30 °C

Product AT USE DILUTION

Advice on safe handling

: Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage

: Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sulphuric acid	7664-93-9	WES-TWA	0.1 mg/m3	NZ OEL
Phosphoric acid	7664-38-2	WES-TWA	1 mg/m3	NZ OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

904002 4 / 11

AQUAKLENZ HV

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Nitrile rubber

Unsupported neoprene

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable.

An acid gas cartridge may be used.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable. No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Colour : orange light orange
Odour : odourless odourless
pH : 1.0, (100 %) 1.5 - 3.5

Flash point : open cupNot applicable.

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and : no data available

boiling range

904002 5 / 11

AQUAKLENZ HV

Evaporation rate : no data available Flammability (solid, gas) : Not applicable. Upper explosion limit : no data available Lower explosion limit : no data available : no data available Vapour pressure Relative vapour density : no data available

: 1.25 - 1.27 Relative density Water solubility : soluble

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, kinematic : no data available : no data available Explosive properties Oxidizing properties : no data available Molecular weight : no data available VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

904002 6/11

AQUAKLENZ HV

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : no data available
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin : no data available

sensitization

sopiratory of skill . Ho data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available

904002 7 / 11

AQUAKLENZ HV

Teratogenicity : no data available STOT - single exposure : no data available STOT - repeated exposure : no data available : no data available Aspiration toxicity

Components

Acute oral toxicity : Phosphoric acid

LD50 rat: > 2,600 mg/kg

N,N-dimethyldecylamine N-oxide

LD50 rat: 600 mg/kg

Components

Acute inhalation toxicity : Phosphoric acid

4 h LC50 rat: 0.962 mg/ITest atmosphere: dust/mist

Components

Acute dermal toxicity : Phosphoric acid

LD50 rabbit: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Product AS SOLD

Environmental Effects : Harmful to aquatic life.

Product AT USE DILUTION

Environmental Effects : This product has no known ecotoxicological effects.

Product AS SOLD

Product

Toxicity to fish : no data available Toxicity to daphnia and other : no data available aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : sulphuric acid

96 h LC50: 22 mg/l

N,N-dimethyldecylamine N-oxide

96 h LC50 Danio rerio (zebra fish): 2.4 mg/l

Test substance: Information given is based on data obtained from

similar substances.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated

96 h LC50 Brachydanio rerio (zebrafish): 0.55 mg/l

Components

Toxicity to daphnia and other : Phosphoric acid

aquatic invertebrates

48 h EC50 Daphnia magna (Water flea): > 100 mg/l

N,N-dimethyldecylamine N-oxide

904002 8/11

AQUAKLENZ HV

48 h EC50 Daphnia magna (Water flea): 2.63 mg/l

Test substance: Information given is based on data obtained from

similar substances.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated

48 h EC50: 55 mg/l

Components

Toxicity to algae : Phosphoric acid

72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

N,N-dimethyldecylamine N-oxide

72 h EC50 Pseudokirchneriella subcapitata (green algae): 0.159 mg/l Test substance: Information given is based on data obtained from

similar substances.

Alcohols, C12-15-branched and linear, ethoxylated propoxylated

72 h EC50: 0.5 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Do not contaminate storm water drains, natural waterways or soil with

chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved

waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

904002 9 / 11

AQUAKLENZ HV

Land transport (NZ_DG)

UN number : 3264

Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Phosphoric acid, Sulphuric acid)

Class : 8
Packing group : II
Hazchem Code : 2X

Sea transport (IMDG/IMO)

UN number : 3264

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Phosphoric acid, Sulphuric acid)

Class : 8
Packing group : II
Marine pollutant : No

Special precautions for user : None

Section: 15. REGULATORY INFORMATION

Product AS SOLD

HSNO Approval Number : HSR002526

HSNO Group Standard : Cleaning Products (Corrosive) Group Standard 2017

The components of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

On the inventory, or in compliance with the inventory, or has been registered as new substance

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

China Inventory of Existing Chemical Substances:

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On the inventory, or in compliance with the inventory

904002 10 / 11

AQUAKLENZ HV

Section: 16. OTHER INFORMATION

Issuing date : 08.12.2021

version : 1.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

904002 11 / 11