

SECTION 1: Identification

1.1 Product identifier

Product name : Converge

1.2 Other means of identification

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Recommended use : Oral drench for sheep and cattle
Restrictions on use : Not to be used for any purpose other than the one the product was designed for

1.4 Details of manufacturer or importer

Schering-Plough Animal Health Ltd
33 Whakatiki Street
Upper Hutt 5018
New Zealand
T 0800 800 543 (8 am – 5 pm, Mon – Fri)
www.msd-animal-health.co.nz
www.coopersanimalhealth.co.nz

1.5. Emergency phone number

Emergency number : 0800 764 766 (0800 POISON) 24 hours human health
0800 243 622 (0800 CHEMCALL) 24 hours

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

HSNO Approval Number : HSR100758

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 2	H319
Respiratory sensitisation, Category 1	H334
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 2	H361
Reproductive toxicity, Additional category, Effects on or via lactation	H362
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Hazardous to soil organisms	H424
Hazardous to terrestrial vertebrates	H434
Hazardous to terrestrial invertebrates	H444

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

2.2. GHS Label elements, including precautionary statements

GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

: Danger

Contains

: Levamisole hydrochloride (8 %); Disodium cobalt EDTA (4.55 %); Benzyl alcohol (< 10 %); Sodium selenate (0.24 %); Abamectin (0.2 %)

Hazard statements (GHS NZ)

: H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341 - Suspected of causing genetic defects
H351 - Suspected of causing cancer
H361 - Suspected of damaging fertility or the unborn child
H362 - May cause harm to breast-fed children
H373 - May cause damage to organs (blood, haematopoietic system, testis, cardiovascular system) through prolonged or repeated exposure (oral)
H410 - Very toxic to aquatic life with long lasting effects
H424 - Hazardous to soil organisms
H434 - Hazardous to terrestrial vertebrates
H444 - Hazardous to terrestrial invertebrates

Precautionary statements

: P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.

Prevention

: P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P263 - Avoid contact during pregnancy and while nursing.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective clothing, protective gloves.
P284 - Wear respiratory protection.

Response

: P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Levamisole hydrochloride (Active ingredient)	CAS-No.: 16595-80-5	8
Disodium cobalt EDTA (Active ingredient)	CAS-No.: 15137-09-4	4.55
Sodium selenate (Active ingredient)	CAS-No.: 13410-01-0	0.24
Abamectin (Active ingredient)	CAS-No.: 71751-41-2	0.2
Benzyl alcohol	CAS-No.: 100-51-6	< 10
Propylene Glycol Octanoate decanoate	CAS-No.: 68583-51-7	< 10
Citric acid	CAS-No.: 77-92-9	< 10

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: If exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. No action shall be taken without appropriate training or involving any personal risk.
Hazardous decomposition products in case of fire	: Thermal decomposition can lead to the release of irritating gases and vapours. Water vapours are released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Keep upwind.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code	: * 3Z
EAC code	: •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. No action shall be taken without appropriate training or involving any personal risk.
------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact during pregnancy/while nursing. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up.
Storage temperature : 5 - 30°C.
Information on mixed storage : Store away from incompatible materials and products. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.
Storage area : Keep out of direct sunlight.
Special rules on packaging : Position containers so that any labelling information is visible. Keep packaging closed when not in use. Check containers and packaging regularly for leaks and damage.
Packaging materials : Store always product in container of same material as original container.
Conditions for emergency plan : Emergency response plan (ERP) required for quantities greater than 100 L.
Conditions for signage : Signage required for quantities:
: Greater than 100 L indicating: Hazardous to the aquatic environment.
: Greater than 10000 L indicating: Acute toxicity (oral).

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring methods

Monitoring methods : Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Wear recommended personal protective equipment. Ocular shower with suitable liquid.

Hand protection : Wear protective gloves
Eye protection : Wear eye protection: Chemical goggles or safety glasses
Skin and body protection : Wear protective clothing: Long sleeved protective clothing. Wear foot protection
Respiratory protection : Wear appropriate mask

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.
Consumer exposure controls : Avoid contact during pregnancy/while nursing. Personal protective equipment (PPE) is not required when handling individual retail pack.

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Other information : PPE compliant with the recommended standards should be selected. The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Characteristic
Odour	: Characteristic
Odour threshold	: No additional information available
pH	: No additional information available
Evaporation rate	: No additional information available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No additional information available
Relative vapour density at 20°C	: No additional information available
Density	: No additional information available
Solubility	: No additional information available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No additional information available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong acids. Strong bases. Strong oxidizers.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Toxicity

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Converge	
ATE NZ (oral)	1273.697 mg/kg bodyweight
Levamisole hydrochloride (16595-80-5)	
LD50 oral rat	200 mg/kg [ERMA]

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Sodium selenate (13410-01-0)	
LD50 oral rat	25 mg/kg bodyweight [INCLASS]
LC50 Inhalation - Rat	0.05 mg/l [INCLASS]
Abamectin (71751-41-2)	
LD50 oral rat	8.7 – 12.8 mg/kg [EPA NZ]
LD50 dermal rat	> 1600 mg/kg [EPA NZ]
Benzyl alcohol (100-51-6)	
LD50 dermal rabbit	2000 mg/kg [EPA NZ]
LC50 Inhalation - Rat	8.8 mg/l Exposure Time: 4 hours [IUCID 2000]
LC50 Inhalation - Rat (Dust/Mist)	> 4.178 mg/l/4h
Propylene Glycol Octanoate decanoate (68583-51-7)	
LD50 oral rat	> 2000 mg/kg [ECHA]
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child. May cause harm to breast-fed children.
Levamisole hydrochloride (16595-80-5)	
NOAEL, embryo-foetal development, oral, rat	20 mg/kg bw (Result: Fetotoxicity)
LOAEL, embryo-foetal development, oral, rabbit	40 mg/kg bw (Result: Fetotoxicity)
Abamectin (71751-41-2)	
LOAEL (animal/male, F0/P)	1.6 mg/kg bodyweight Development study resulting in teratogenic effects (Rat, Oral)
NOAEL (animal/male, F0/P)	0.2 mg/kg bodyweight Embryo-foetal development study resulting in developmental toxicity (Mouse, Oral)
NOAEL (animal/male, F1)	0.12 mg/kg bodyweight Two-generation reproductive toxicity study resulting in Fetotoxicity (Rats, Oral) [INCHEM]
STOT-single exposure	: Not classified
Disodium cobalt EDTA (15137-09-4)	
STOT-single exposure	May cause drowsiness or dizziness.
Citric acid (77-92-9)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: May cause damage to organs (blood, haematopoietic system, testis, cardiovascular system) through prolonged or repeated exposure (oral).
Levamisole hydrochloride (16595-80-5)	
NOAEL (oral, rat, 28 days)	2.5 mg/kg bodyweight/day Target Organ: Testis (18 month exposure time)
STOT-repeated exposure	Causes damage to organs (blood, haematopoietic system, testis) through prolonged or repeated exposure (oral).

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Levamisole hydrochloride (16595-80-5)	
Additional information	The commonest and most severe effect induced by levamisole is agranulocytosis. This can be fatal, particularly if infection occurs but it is reversible. It occurs at relatively low doses even when given on non-consecutive days. No NOEL can be identified and if one exists it probably is extremely small. Consequently all MRL of 0.01 mg/kg is recommended. ADI of 0-6 ug/kg based on LOAEL of 1.25 mg/kg/day haemolytic effects in dogs, safety factor of 200. MRLs of 100 ug/kg in muscle, kidney and fat, and 100 ug/kg for liver. Chronic studies in (previously sensitised) dogs showed evidence of haemolytic effects with a LOAEL of 1.25 mg/kg day. [EPA NZ]
Disodium cobalt EDTA (15137-09-4)	
LOAEL (oral, rat, 90 days)	> 10 mg/kg bodyweight/day
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	< 0.01 mg/l OECD Test Guideline 413
STOT-repeated exposure	Causes damage to organs (cardiovascular system) through prolonged or repeated exposure (oral).
Sodium selenate (13410-01-0)	
NOAEL (oral, rat, 90 days)	0.37 mg/kg bodyweight/day Hepatotoxicity/Alimentary system (liver) [Hayes, W.J., Jr., E.R. Laws, Jr., (eds.). New York, NY: Academic Press, Inc., 1991. 558] [HSDB]
STOT-repeated exposure	Causes damage to organs (liver, kidneys) through prolonged or repeated exposure (oral).
Additional information	Rats receiving selenium compounds (generally sodium selenite) in their diets show acute, subacute, and chronic pathologic pictures entirely similar to those seen in rats fed poisonous field-grown grain. Rats that received selenium (as sodium selenate) at a dietary level of 100 ppm ate little food and all died in 8-16 days; those receiving 50 ppm all died in 10-97 days. A dietary level of 15 ppm was tolerated for 72 days or more, but food intake was about half of normal. All rats survived a dietary level of 7.5 ppm (about 0.37 mg/kg/day) for 6 months, and their growth was normal. [EPA NZ]
Abamectin (71751-41-2)	
NOAEL (oral, rat, 28 days)	1.5 mg/kg bodyweight/day Target organ: Central Nervous System (24 Month exposure time)
STOT-repeated exposure	Causes damage to organs (central nervous system) through prolonged or repeated exposure (oral).
Benzyl alcohol (100-51-6)	
NOAEC (inhalation, rat, 28 days)	1.072 mg/l OECD Test Guideline 412
Citric acid (77-92-9)	
LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight/day Exposure time: 10 days
NOAEL (oral, rat, 28 days)	4000 mg/kg bodyweight/day Exposure time: 10 days
NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight/day Exposure time: 10 days
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.
Soil toxicity : Hazardous to soil organisms.
Terrestrial vertebrate toxicity : Hazardous to terrestrial vertebrates.
Terrestrial invertebrate toxicity : Hazardous to terrestrial invertebrates.

Levamisole hydrochloride (16595-80-5)	
LD50 oral rat	200 mg/kg [ERMA]
Disodium cobalt EDTA (15137-09-4)	
LC50 - Fish [1]	1.406 mg/l Oncorhynchus mykiss (Rainbow trout, donaldson trout) [EPA NZ]
EC50 - Crustacea [1]	1.11 mg/l Daphnia magna (Water flea) [EPA NZ]
EC50 96h Algae [mg/l]	23.8 mg/l Spirulina platensis (Blue-green algae) [EPA NZ]
Sodium selenate (13410-01-0)	
LC50 - Fish [1]	690 µg/l Pimephales promelas (Fathead minnow) [EPA NZ]
EC50 - Crustacea [1]	83 µg/l Gammarus pseudolimnaeus (Scud) [EPA NZ]
ErC50 algae	0.2 mg/l Selenastrum capricornutum (Green algae) [EPA NZ]
NOEC chronic fish	390 µg/l 32 days [EPA NZ]
BCF - Other aquatic organisms [1]	3650 Daphnia magna (Water flea) [EPA NZ]
LD50 oral rat	25 mg/kg bodyweight [INCLASS]
Abamectin (71751-41-2)	
LC50 - Fish [1]	0.0036 mg/l Rainbow trout [EPA NZ]
EC50 - Crustacea [1]	0.00034 mg/l Daphnia magna [EPA NZ]
EC50 - Other aquatic organisms [1]	0.43 mg/l Eastern oyster (Crassostrea virginica) [EPA NZ]
NOEC chronic fish	0.0000093 mg/l Rainbow trout [EPA NZ]
NOEC chronic crustacea	0.00003 mg/l Daphnia magna [EPA NZ]
BCF - Fish [1]	69 Bluegill sunfish
LD50 oral honeybee (48h)	0.002 µg/terrestrial invertebrate [EPA NZ]
LD50 dermal rat	> 1600 mg/kg [EPA NZ]
LD50 oral rat	8.7 – 12.8 mg/kg [EPA NZ]
Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	10 mg/l Lepomis macrochirus [EPA NZ]
LC50 96 h - Fish [mg/l]	460 mg/l Pimephales promelas (fathead minnow)
EC50 - Crustacea [1]	55 mg/l 24 h Daphnia magna [EPA NZ]
ErC50 algae	770 mg/l Pseudokirchneriella subcapitata (green algae)
NOEC chronic crustacea	51 mg/l Daphnia magna (Water flea)
NOEC chronic algae	310 mg/l Pseudokirchneriella subcapitata (green algae)
DT50	> 30 days No
LD50 dermal rabbit	2000 mg/kg [EPA NZ]
LD50 oral rabbit	1040 mg/kg [EPA NZ]

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Citric acid (77-92-9)	
LD50 oral mouse	5000 mg/kg [IUCALID 2000]
Propylene Glycol Octanoate decanoate (68583-51-7)	
Partition coefficient n-octanol/water (Log Pow)	5.21
LD50 oral rat	> 2000 mg/kg [ECHA]

12.2. Persistence and degradability

Converge	
Persistence and degradability	Not rapidly degradable
Levamisole hydrochloride (16595-80-5)	
Persistence and degradability	Not rapidly degradable
Disodium cobalt EDTA (15137-09-4)	
Persistence and degradability	Not rapidly degradable
Sodium selenate (13410-01-0)	
Persistence and degradability	Not rapidly degradable
Abamectin (71751-41-2)	
Persistence and degradability	Rapidly degradable
Benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly Degradable: Yes - aerobic- predominantly domestic sewage- Degradation: > 90 % after 30 day.
Citric acid (77-92-9)	
Persistence and degradability	Not rapidly degradable
Propylene Glycol Octanoate decanoate (68583-51-7)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Converge	
Bioaccumulative potential	No additional information available
Sodium selenate (13410-01-0)	
BCF - Other aquatic organisms [1]	3650 Daphnia magna (Water flea) [EPA NZ]
Abamectin (71751-41-2)	
BCF - Fish [1]	69 Bluegill sunfish
Benzyl alcohol (100-51-6)	
Bioaccumulative potential	Not bioaccumulative.
Propylene Glycol Octanoate decanoate (68583-51-7)	
Partition coefficient n-octanol/water (Log Pow)	5.21

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

12.4. Mobility in soil

Converge	
Mobility in soil	No additional information available
Sodium selenate (13410-01-0)	
Effect of Selenic acid, Disodium salt on Medicago sativa Growth Endpoint	22 day(s) EC20 of 0.1 mg/kg soil (NR: NR) on Measurement: Number of nodules/nodulated plant roots; Response Site: NR Whole Organism
Propylene Glycol Octanoate decanoate (68583-51-7)	
Partition coefficient n-octanol/water (Log Pow)	5.21

12.5. Other adverse effects




Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Dispose of unused contents in a suitable landfill. Triple rinse empty container, puncture and recycle through AgRecovery. Do NOT burn. Avoid contamination of any water source or environment with product or empty container.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
3082	3082	3082
14.2. UN Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin)	Environmentally hazardous substance, liquid, n.o.s. (Abamectin)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin)
Transport document description		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Abamectin), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin), 9, III
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III	III	III

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

IMDG	IATA	UNRTDG
14.5. Environmental hazards		
Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
Australian Special Provision (SP AU01) AGD Code 7th Ed Environmentally Hazardous Substances meeting the descriptions of UN3077 or UN3082 are not subject to this code when transported by road or rail in: (a) Packaging's (b) IBCs or (c) Any receptacle not exceeding 500 kg (L)		

14.6. Special precautions for user

Transport by road and rail

Special provisions (UN RTDG) : 274, 331, 335, 375
Limited quantities (UN RTDG) : 5L
Excepted quantities (UN RTDG) : E1
Packing instruction (UN RTDG) : P001, IBC03, LP01
Special packing provisions (UN RTDG) : PP1
Portable tank and bulk container special instructions (UN RTDG) : T4
Portable tank and bulk container special provisions (UN RTDG) : TP1, TP29

Transport by sea

Special provisions (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

14.7. Transport in bulk according to IMO instruments

Not applicable

14.8. Hazchem or Emergency Action Code

EAC code : •3Z.
Hazchem Code : * 3Z

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR100758

Group standard : Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2020

Agricultural Compounds and Veterinary Medicines (ACVM) Act 1997

ACVM Registration Number : A010119

Abamectin (71751-41-2)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR002812
----------------------	-----------

Benzyl alcohol (100-51-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number	HSR001039
----------------------	-----------

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 25/10/2024

Revision date : 6/02/2025

Supersedes : 25/10/2024

Indication of changes:

Update of the SDS from former GHS version to the 7th edition of the GHS (GHS 7).

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Data sources	: Safe Work Australia - Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals Safe Work Australia - Code of Practice - Labelling of Workplace Hazardous Chemicals Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants Safe Work Australia - Hazardous Chemical Information System (HCIS) Australian Inventory of Industrial Chemicals (AICIS Inventory) Environmental Protection Authority - Hazardous Substances (Hazard Classification) Notice 2020 Environmental Protection Authority - Hazardous Substances (Safety Data Sheets) Notice 2017 Environmental Protection Authority - Hazardous Substances (Labelling) Notice 2017 New Zealand - Chemical Classification and Information Database (CCID) New Zealand - Inventory of Chemicals (NZIoC) European Chemicals Agency (ECHA) - Annex VI (C&L Inventory) European Chemicals Agency (ECHA) - REACH Study Results European Chemicals Agency (ECHA) - REACH Registration Dossiers United Nations - Globally Harmonised System of Classification and Labelling of Chemicals (GHS) Uniform Scheduling of Medicines and Poisons (SUSMP) United Nations Recommendations on the Transport of Dangerous Goods (UNRTDG Model Regulation) Australian Dangerous Goods Code (ADG Code) International Air Transport Association Dangerous Goods Regulations (IATA DGR) International Maritime Dangerous Goods (IMDG Code).
--------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Full text of H-statements	
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Hazardous to soil organisms	Hazardous to soil organisms
Hazardous to terrestrial invertebrates	Hazardous to terrestrial invertebrates
Hazardous to terrestrial vertebrates	Hazardous to terrestrial vertebrates
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Muta. 2	Germ cell mutagenicity, Category 2

Converge

Safety Data Sheet for use in New Zealand

according to the New Zealand EPA Hazardous Substance SDS Notice 2017

Full text of H-statements	
Repr. 2	Reproductive toxicity, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled.
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H362	May cause harm to breast-fed children
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
H424	Hazardous to soil organisms
H434	Hazardous to terrestrial vertebrates
H444	Hazardous to terrestrial invertebrates

Safety Data Sheet (SDS), New Zealand - MSD

Schering-Plough Animal Health Ltd known as MSD Animal Health, is a subsidiary of Merck & Co., Inc., Rahway, NJ, USA.

Schering-Plough urges each user or recipient of this SDS to read the entire safety data sheet to become aware of the potential hazards associated with this material. This SDS summarises, at the date of issue, our best knowledge of the health and safety hazard information. Although reasonable care has been taken in the preparation of this document, Schering-Plough Animal Health Ltd extend no warranties and make no representations as to the accuracy or completeness of the information contained therein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

6/02/2025 (Revision date)

NZ - en

15/15

