SAFETY DATA SHEET



Section 1: Identification

Product identifier MOXIDECTIN 2% LONG ACTING INJECTION FOR SHEEP

Other means of identification

Synonyms CYDECTIN * CYDECTIN Long Acting Injection for Sheep

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product used as anti-worm agent (anthelmintic)

Restrictions on use Not for human use

Details of manufacturer or importer

Company Name (NZ) Zoetis New Zealand Limited

Level 4, 8 Mahuhu Crescent

Auckland Central

Auckland 1010, New Zealand

Telephone No. 0800 963 847 (Business Hours)

Emergency No. (National

Poisons Centre)

0800 POISON (0800 764 766)

Emergency No.

In an emergency dial 111

(Emergency Services)

Section 2: Hazard identification

Classification of the hazardous chemical

Physical hazards Not classified.
Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Label elements, including precautionary statements

Hazard symbol(s)

Environment

Signal word Warning

Hazard statement(s) Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention Avoid release to the environment.

Response Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not

result in classification

None.

Section 3: Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Benzyl alcohol	100-51-6	7
Moxidectin	113507-06-5	2
Moxidectin Technical Material (MTM)		

Composition comments Other components below reportable levels

Section 4: First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. In the event

of accidental self injection or needle stick injury, wash the injury thoroughly with clean running

water. Get medical attention immediately. Wash clothing separately before reuse.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion Rinse mouth. Call a physician or poison control centre immediately. Only induce vomiting at the

instruction of medical personnel. Never give anything by mouth to an unconsious person.

Personal protection for first-aid

responders

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you

when you call.

Symptoms caused by exposure

May cause eye irritation. May cause skin irritation. Adverse effects associated with therapeutic use include clumsy motion of limbs/trunk (ataxia), drowsiness, depression, salivation. In the event of accidental injection, an allergic reaction may occur.

Medical attention and special

treatment

Treat symptomatically.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

General fire hazards

equipment/instructions

Move containers from fire area if you can do so without risk.

Hazchem code
Hazards from combustion

products

None.

No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

None.

For non-emergency personnel

Keep unnecessary personnel away.

For emergency responders

Keep unnecessary personnel away. Avoid breathing mist/vapours. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Avoid release to the environment. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: MOXIDECTIN 2% LONG ACTING INJECTION FOR SHEEP

Version #: 01 Issue date: 04-March-2024

Section 7: Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid accidental injection. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation. Store as directed by product packaging.

Section 8: Exposure controls/personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Zoetis

 Components
 Type
 Value

 Moxidectin (CAS 113507-06-5)
 TWA
 70 μg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Not available.

Control banding approach

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Impervious gloves are recommended if skin contact

with drug product is possible and for bulk processing operations.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

should be provided in instances where exposure to dust, mists, aerosols or vapors are likely. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a

protection factor sufficient to control exposures to below the OEL.

Thermal hazards Not applicable.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9: Physical and chemical properties

Solution **Appearance** Physical state Liquid. Form Liquid. Colour Clear yellow Not available. Odour **Odour threshold** Not available. Not available. pН Melting point/freezing point Not available. 109 °C (228.2 °F) Initial boiling point and boiling

range

Flash point 127.2 °C (261.0 °F) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.

Explosive limit – upper

Not available.

(%)

Vapour pressure 0.17 hPa estimated
Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Kinematic viscosity Not available.

Other physical and chemical parameters

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

Section 10: Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Species: Guinea Pig
Severity: Moderate

Moxidectin Species: Rabbit

Severity: Mild

Benzyl alcohol Species: Rabbit

Severity: Minimal

Eye contact Direct contact with eyes may cause temporary irritation.

Moxidectin Species: Rabbit

Severity: Moderate

Benzyl alcohol Species: Rabbit

Severity: Severe

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Components Species Test Results

Benzyl alcohol (CAS 100-51-6)

Acute

Dermal

LD50 Rabbit 2000 mg/kg

Inhalation

LC50 Rat 1000 mg/l, 8 Hours

Oral

LD50 Mouse 1580 mg/kg

Rat 1230 mg/kg

Material name: MOXIDECTIN 2% LONG ACTING INJECTION FOR SHEEP

Version #: 01 Issue date: 04-March-2024

SDS NEW ZEALAND

Components **Species Test Results** Moxidectin (CAS 113507-06-5) Acute **Dermal** LD50 Rat > 2000 mg/kg Oral LD50 Rat 106 mg/kg **Chronic** Oral NOEL Mouse 30 mg/kg/day, 2 years (Not carcinogenic) Rat 100 mg/kg/day, 2 years (Not carcinogenic) **Subacute** Oral LOEL Rat 100 mg/kg/day, 28 days (Central Nervous System) NOEL Mouse 75 mg/kg/day, 28 days (Central nervous system) Subchronic Oral NOEL Dog 10 mg/kg/day, 90 days (Central Nervous System) Rat 50 mg/kg/day, 13 weeks (Central Nervous System) Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Corrosivity Moxidectin Species: Rabbit Severity: Mild Serious eye damage/eye Direct contact with eyes may cause temporary irritation. irritation Eve contact Moxidectin Species: Rabbit Severity: Moderate Benzyl alcohol Species: Rabbit Severity: Severe Respiratory irritation Not available. Respiratory or skin sensitisation Respiratory sensitisation Not a respiratory sensitiser. This product is not expected to cause skin sensitisation. Skin sensitisation Skin Sensitisation Benzyl alcohol Result: Sensitiser Moxidectin Species: Guinea Pig Severity: Negative No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity mutagenic or genotoxic. Mutagenicity Moxidectin In Vitro Bacterial Mutagenicity (Ames) Result: Negative Species: Salmonella, E. coli In Vitro HGPRT Forward Gene Mutation Assay Result: Negative Species: Chinese Hamster Ovary (CHO) cells In Vivo Cytogenetics Result: Negative

Species: Rat Bone Marrow

Mutagenicity Moxidectin

In Vivo Unscheduled DNA Synthesis

Result: Negative Species: Rat Hepatocyte

Carcinogenicity

Not available.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Developmental effects

Moxidectin

1 mg/kg/day Embryo / Fetal Development, (Maternal toxicity,

Not teratogenic) Result: NOEL Species: Rabbit Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Negative)

Result: NOEL Species: Rat Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Not Teratogenic,

Embryotoxicity, Maternal Toxicity)

Result: NOEL Species: Rat Organ: Oral route

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Narcotic effects Due to lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

In the event of accidental injection, an allergic reaction may occur. **Further information**

Section 12: Ecological information

Ecotoxicity Avoid release to the environment. Very toxic to aquatic life with long lasting effects.

Ecoloxicity	Avoid release to the environment. Very toxic to addatic life with long lasting enects.			
omponents Species		Test Results		
Benzyl alcohol (CAS 100-51-6)				
Aquatic				
Algae	EC50	Pseudokirchneriella subcapitata (Green Alga)	500 mg/l, 72 Hours	
Crustacea	EC50	Daphnia magna (Water Flea)	230 mg/l, 48 Hours	
			66 mg/l, 21 day(s) Toxicity for reproduction	
Fish	LC50	Pimephales promelas (Fathead Minnow)	460 mg/l, 96 Hours	
Acute				
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours	
Moxidectin (CAS 113507-06-5)				
Aquatic				
Algae	ErC50	Green algae (Selenastrum capricornutum)	> 87 ppb, 72 Hours	
Crustacea	EC50	Daphnia magna (Water Flea)	30 ppt, 48 Hours	
Fish	LC50	Lepomis macrochirus (Bluegill Sunfish)	0.62 ppb, 96 Hours	
		Oncorhynchus mykiss (rainbow trout)	0.16 ppb, 96 Hours	
Persistence and degradability	No data av	vailable for this product. The following informa	tion is available for the individual	

Material name: MOXIDECTIN 2% LONG ACTING INJECTION FOR SHEEP

ingredients.

SDS NEW ZEALAND Version #: 01 Issue date: 04-March-2024

Biodegradability

Percent Degradation (Aerobic Biodegradation)

Benzyl alcohol 92 - 96 %

Test Duration: 28 days

Moxidectin Soil DT50, ca. 2 months @ 25°C / 77°F

Bioaccumulative potential No data available for this product. The following information is available for the individual

ingredients.

Partition coefficient n-octanol / water (log Kow)

1.1 Benzyl alcohol

4.77, @ 25°C / 77°F Moxidectin

No data available for this product. Mobility in soil

Adsorption

Soil/Sediment Sorption - Log Koc

4.3 - 4.6 Moxidectin

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Section 13: Disposal considerations

Disposal methods Avoid release to the environment. Do not allow this material to drain into sewers/water supplies.

> Do not contaminate ponds, waterways or ditches with chemical or used container. Do not discharge into drains, water courses or onto the ground. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging emptied.

Dispose in accordance with all applicable regulations.

Special precautions to be

taken during disposal

Method of disposal that should

None known.

not be used

Section 14: Transport information

IATA

UN3082 **UN** number

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s. (Moxidectin)

Class 9 Subsidiary hazard Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s. (Moxidectin), MARINE POLLUTANT

9 Class Subsidiary hazard Ш Packing group

Environmental hazards

Yes Marine pollutant

Not assigned. **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

IATA; IMDG



Marine pollutant



General information

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375. Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

Section 15: Regulatory information

Applicable regulations Registered pursuant to the ACVM Act 1997, No. A9926

See www.foodsafety.govt.nz for registration conditions. Approved pursuant to the HSNO Act 1996, No. HSR100758.

See www.epa.govt.nz for approval controls.

New Zealand Inventory of Chemicals (NZIoC): Registration status

Benzyl alcohol (CAS 100-51-6) HSNO Approved Moxidectin (CAS 113507-06-5) HSNO Approved

Section 16: Other information

Issue date 04-March-2024

Version No. 01

Key abbreviations or acronyms

used

Not available.

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Product and Company Identification: Synonyms

Composition / Information on Ingredients: Ingredients Transport Information: Material Transportation Information

GHS: Classification