Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Section 1: Identification

1.1 Product identifier

Oral-Max

HSNO Approval Number : HSR001653

ACVM number : A009642

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary medicine

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company

Elanco New Zealand Unit A, 123 Ormiston Road AUCKLAND NEW ZEALAND +64-9-272 5420 elanco_sds@elanco.com

1.4 Emergency telephone number

In case of emergency: CHEMTREC International: +1 703-527-3887 (24 hours)

or +64-0800 425 459 (Local toll free)

Section 2: Hazard identification

GHS Classification

Acute toxicity (Oral) : 6.1E

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H303 May be harmful if swallowed.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium chloride dihydrate	10035-04-8	>= 20 -< 30
Magnesium chloride hexahydrate	7791-18-6	>= 10 -< 20
Methyl 4-hydroxybenzoate	99-76-3	>= 0,1 -< 0,25

Section 4: First-aid measures

General advice : Take off all contaminated clothing immediately.

You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24hr emergency

service).

If inhaled : Remove to fresh air.

Call a physician immediately.

In case of skin contact : After contact with skin, wash immediately with plenty of soap

and water.

If skin reactions occur, contact a physician.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Most important symptoms and effects, both acute and

delayed

No information available.

Notes to physician : No information available.

Section 5: Fire-fighting measures

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Oral-Max



Version **Revision Date:** SDS Number: Date of last issue: -

24.06.2020 122000017694 Date of first issue: 24.06.2020 1.0

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon monoxide (CO) Carbon dioxide (CO2)

Specific extinguishing meth-

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Section 6: Accidental release measures

Personal precautions, protec: :

tive equipment and emergency procedures

Use personal protective equipment. Use with adequate ventilation.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and materials for

containment and cleaning up

Suppress (knock down) gases/vapours/mists with a water

spray jet.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Place in closed containers. Label for proper disposal.

Section 7: Handling and storage

Advice on protection against

fire and explosion

No special protective measures against fire required.

Industrial uses: Advice on safe handling

Avoid formation of aerosol.

Use with local exhaust ventilation.

Avoid contact with skin, eyes and clothing.

Hygiene measures Cleanliness Guidelines (GMP) for manufacturing of drugs

must be observed!

Conditions for safe storage For storage suitable stores with adequate product-reception

volume must be used.

During handling local official regulations must be observed in

order to avert impairment of water by the product.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propane-1,2-diol	57-55-6	WES-TWA (particulate)	10 mg/m ³	NZ OEL
		WES-TWA	10 mg/m ³	NZ OEL

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

(particulate)		
WES-TWA	150 ppm	NZ OEL
(Vapour and	474 mg/m³	
particulates)		
WES-TWA	150 ppm	NZ OEL
(Vapour and	474 mg/m ³	
particulates)		

Personal protective equipment

Respiratory protection : Recommended respiratory protection: full mask with filter

ABEK-ST (ABEK-P3)

Hand protection

Material : Hand protection: protective gloves for chemicals made of

Baypren, nitrile rubber or PVC wear

Remarks : Breakthrough time not tested; dispose of immediately after

contamination. Advice: The gloves should not be reused.

Eye protection : Safety glasses

Protective measures : No special safety precautions are required during handling of

pharmaceuticals in their intended finished form (tablets or liquid formulations) by chemists, the hospital's medical staff

or patients.

For the intake of ready for use pharmaceuticals or the external use on the skin please read the label and the package

leaflet.

The personal protective equipment is applicable for the handling of bulk material without packaging and for incidents if an exposure by the active ingredient or hazardous components

can be expected.

Wear suitable protective equipment.

Section 9: Physical and chemical properties

Appearance : gel

Colour : colourless

Odour : weak

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Impact sensitivity : No data available

Minimum ignition energy : No data available

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Section 10: Stability and reactivity

Reactivity : No data available

Chemical stability : No data available

Possibility of hazardous reac-

tions

No data available

Conditions to avoid : No data available

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

Carbon monoxide (CO)
Carbon dioxide (CO2)

Section 11: Toxicological information

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate (ATE): 1.617 mg/kg

Method: Calculation method

Components:

Calcium chloride dihydrate:

Acute oral toxicity : LD50 (Rat): 2.301 mg/kg

Method: OECD 401

Remarks: anhydrous substance

Acute dermal toxicity : LD50 (Rat): 2.630 mg/kg

Remarks: anhydrous substance

Magnesium chloride hexahydrate:

Acute oral toxicity : LD50 (Rat): 8.100 mg/kg

Assessment: No adverse effect has been observed in acute

toxicity tests.

Skin corrosion/irritation

Components:

Calcium chloride dihydrate:

Species : Rabbit
Method : OECD 404
Result : No skin irritation
Remarks : anhydrous substance

Magnesium chloride hexahydrate:

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Species : Rabbit
Method : OECD 404
Result : No skin irritation

Methyl 4-hydroxybenzoate:

Species : Rabbit Exposure time : 24 h

Result : No skin irritation

Serious eye damage/eye irritation

Components:

Calcium chloride dihydrate:

Species : Rabbit
Result : Eye irritation
Method : OECD 405

Remarks : anhydrous substance

Magnesium chloride hexahydrate:

Species : Rabbit

Result : No eye irritation Method : OECD 405

Methyl 4-hydroxybenzoate:

Species : Rabbit

Result : Mild eye irritation

Assessment : The available study results do not lead to a GHS classification

Respiratory or skin sensitisation

Components:

Methyl 4-hydroxybenzoate:

Test Type : Skin sensitisation Species : Guinea pig Method : OECD 406

Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Components:

Calcium chloride dihydrate:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Method: OECD 471 Result: negative

Test substance: anhydrous substance

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Magnesium chloride hexahydrate:

Genotoxicity in vitro : Test Type: Bacterial mutagenicity

Result: negative

Methyl 4-hydroxybenzoate:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD 471 Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Hamster V79-cells

Metabolic activation: no Method: OECD 473 Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Hamster V79-cells

Metabolic activation: yes Method: OECD 473 Result: positive

Genotoxicity in vivo : Test Type: Dominant lethale test

Species: Rat (male) Application Route: Oral Method: OECD 478 Result: negative

Test Type: Chromosome aberration test in vivo

Species: Rat (male) Application Route: Oral Method: OECD 475 Result: negative

Repeated dose toxicity

Components:

Methyl 4-hydroxybenzoate:

Species : Rat, male and female

NOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 28-day
Method : OECD 407

Test substance : in polyethylene glycol 400

GLP : ves

Further information

Components:

Calcium chloride dihydrate:

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Remarks : If inhaled

irritations

Magnesium chloride hexahydrate:

Remarks : Ingestion of large quantities:

Nausea Vomiting Diarrhoea

Section 12: Ecological information

Ecotoxicity

Components:

Calcium chloride dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 10.650 mg/l

Exposure time: 96 h

Test Type: Acute Fish toxicity Remarks: anhydrous substance

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 144 mg/l

Exposure time: 48 h

Remarks: anhydrous substance

Toxicity to algae/aquatic

plants

: IC50 (Green algae (Scenedesmos subspicatus)): 3.130 mg/l

Exposure time: 120 h

Remarks: anhydrous substance

Toxicity to microorganisms : EC50: > 100 mg/l

Remarks: anhydrous substance

Magnesium chloride hexahydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.120 mg/l

Exposure time: 96 h

Test substance: anhydrous substance

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.400 mg/l

Exposure time: 48 h

Test substance: anhydrous substance

Toxicity to algae/aquatic

plants

IC50 (Desmodesmus subspicatus (green algae)): 2.200 mg/l

Exposure time: 72 h

Test substance: anhydrous substance

Toxicity to microorganisms : EC50 (Photobacterium phosphoreum): 36.300 mg/l

Exposure time: 0,5 h

Test substance: anhydrous substance

Methyl 4-hydroxybenzoate:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 59,5 mg/l

Exposure time: 96 h

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

Test Type: semi-static test Analytical monitoring: yes Method: OECD 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 11,2 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: ISO 6341

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 91 mg/l

Exposure time: 72 h Test Type: Growth rate Method: ISO 8692

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC50 (Daphnia magna (Water flea)): 5,32 mg/l

Exposure time: 21 d

Test Type: Reproductive toxicity Analytical monitoring: yes Method: OECD 211

NOEC (Daphnia magna (Water flea)): 0,2 mg/l

Exposure time: 21 d

Test Type: Reproductive toxicity Analytical monitoring: yes Method: OECD 211

Toxicity to microorganisms : IC50 (Tetrahymen pyriformis): 125 mg/l

Exposure time: 48 h

Persistence and degradability

Components:

Methyl 4-hydroxybenzoate:

Biodegradability : aerobic

Concentration: 20 mg/l Biochemical oxygen demand Result: rapidly biodegradable Biodegradation: 92,2 % Exposure time: 28 d Method: OECD 301F

Stability in water : Test Type: Hydrolysis

Remarks: not hydrolyzed.

Bioaccumulative potential

Components:

Calcium chloride dihydrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Methyl 4-hydroxybenzoate:

Oral-Max



Version **Revision Date:** SDS Number: Date of last issue: -

24.06.2020 122000017694 Date of first issue: 24.06.2020 1.0

Bioaccumulation Bioconcentration factor (BCF): 6,4

Method: Calculation method

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Pow: 95,5 (22 °C) log Pow: 1,98 (22 °C)

pH: 7,5

Method: OECD 107

Mobility in soil

No data available

Other adverse effects

Product:

mation

Additional ecological infor- : Do not allow to enter surface waters or groundwater.

Components:

Methyl 4-hydroxybenzoate:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Section 13: Disposal considerations

Disposal methods

Waste from residues Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging Contaminated, empty containers are to be treated in the same

way as the contents.

Section 14: Transport information

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

HSNO Approval Number

HSR001653

HSW Controls

Approved handler certificate not required.

HSNO tracking not required.

Refer to EPA user guide to the HSNO control regulations for further information.

Montreal Protocol (Ozone Depleting Substances) : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

Section 16: Other information

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

Oral-Max



Version Revision Date: SDS Number: Date of last issue: -

1.0 24.06.2020 122000017694 Date of first issue: 24.06.2020

portation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN