

# **NEXT GEN ALKALI**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NEXT GEN ALKALI

Other means of identification : Not applicable.

Recommended use : Cleaning product

Product dilution information : 0.1 % - 0.5 %

Company : Ecolab New Zealand

2 Daniel Place

Te Rapa, Hamilton New Zealand

+64 7 958 2319

Emergency telephone

number

: 0800 243 622 (0800 CHEMCALL) +64 7 958 2372 (International)

Issuing date : 02.04.2024

### **Section: 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Skin corrosion/irritation Serious eye damage/eye

irritation

: Category 1B : Category 1

### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

### **GHS Label element**

### **Product AS SOLD**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Store locks

Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

916743-06 1 / 10

# **NEXT GEN ALKALI**

**Product AT USE DILUTION** 

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

**Product AS SOLD** 

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

sodium hydroxide 1310-73-2 60 - 100

### **Product AT USE DILUTION**

No hazardous ingredients

### **Section: 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

916743-06 2 / 10

# **NEXT GEN ALKALI**

### **Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulphur oxides Oxides of phosphorus

Special protective equipment

for firefighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2W

### **Section: 6. ACCIDENTAL RELEASE MEASURES**

### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is

conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal.

# **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures

: Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

reach a waterway.

916743-06 3 / 10

### NEXT GEN ALKALI

### Section: 7. HANDLING AND STORAGE

### **Product AS SOLD**

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use

only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container

tightly closed. Store in suitable labeled containers.

Storage temperature : -10 °C to 50 °C

### **Product AT USE DILUTION**

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in

contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Product AS SOLD Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	WES-Ceiling	2 mg/m3	NZ OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

### Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Skin protection : Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable.

Due to the form and packaging of the product, no protective

equipment is needed under normal use conditions.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

# **Product AT USE DILUTION**

916743-06 4 / 10

### NEXT GEN ALKALI

**Engineering measures** Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

> maintenance of respiratory protective equipment as applicable. No personal respiratory protective equipment normally required.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

**Product AS SOLD** 

: Cast Solid Appearance

Colour : opaque, white Odour : odourless

: 12.5 - 12.8, (1 %) pΗ

Flash point : Not applicable. Odour Threshold : no data available Melting point/freezing point : no data available

Initial boiling point and

boiling range

Evaporation rate

: no data available

no data available

Flammability (solid, gas) : Not applicable.

: no data available Upper explosion limit : no data available Lower explosion limit

: no data available Vapour pressure Relative vapour density : no data available Relative density : no data available

Water solubility : no data available

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

Molecular weight

: no data available

: no data available

Auto-ignition temperature : no data available Thermal decomposition : no data available

Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available

VOC : no data available

916743-06 5/10 **Product AT USE DILUTION** 

liquid

colourless

odourless

9.5 - 11.0

# **NEXT GEN ALKALI**

# Section: 10. STABILITY AND REACTIVITY

**Product AS SOLD** 

: No dangerous reaction known under conditions of normal use. Reactivity

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Organic materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Eye contact, Skin contact

exposure

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

: Health injuries are not known or expected under normal use. Inhalation

Chronic Exposure : Health injuries are not known or expected under normal use.

# **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

916743-06 6/10

### **NEXT GEN ALKALI**

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation : No symptoms known or expected.

### **Toxicity**

# **Product AS SOLD**

**Product** 

: Acute toxicity estimate : 790.26 mg/kg Acute oral toxicity

Acute inhalation toxicity : no data available

: Acute toxicity estimate: 1,739 mg/kg Acute dermal toxicity

Skin corrosion/irritation : no data available Serious eye damage/eye : no data available

irritation

Respiratory or skin : no data available

sensitization

: no data available Carcinogenicity Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available STOT - single exposure : no data available STOT - repeated exposure : no data available

Aspiration toxicity : no data available

#### Section: 12. ECOLOGICAL INFORMATION

# **Toxicity**

**Product AS SOLD** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product AT USE DILUTION** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product AS SOLD** 

**Product** 

Toxicity to fish : 96 h LC50 Pimephales promelas (fathead minnow): 137.6 mg/l

Test substance: Product

aquatic invertebrates

Toxicity to daphnia and other : 48 h LC50 Ceriodaphnia dubia (water flea): 135.7 mg/l

Test substance: Product

: no data available Toxicity to algae

Persistence and degradability

916743-06 7/10

# **NEXT GEN ALKALI**

### **Product AT USE DILUTION**

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

#### Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

### **Product AS SOLD**

Disposal methods : Do not contaminate storm water drains, natural waterways or soil with

chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of in

accordance with local and national regulations.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

### **Product AT USE DILUTION**

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

# Section: 14. TRANSPORT INFORMATION

# **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (NZ\_DG)

UN number : 1823

Description of the goods : SODIUM HYDROXIDE, SOLID

Class : 8
Packing group : II
Hazchem Code : 2W

# Sea transport (IMDG/IMO)

UN number : 1823

Proper shipping name : SODIUM HYDROXIDE, SOLID

Class : 8
Packing group : II
Marine pollutant : No

Special precautions for user : None

# Section: 15. REGULATORY INFORMATION

916743-06 8 / 10

# **NEXT GEN ALKALI**

**Product AS SOLD** 

HSNO Approval Number : HSR002526

HSNO Group Standard : Cleaning Products (Corrosive) Group Standard 2020

### **Tolerable Exposure Limits (TEL)**

Not applicable.

### **Environmental Exposure Limits (EEL)**

Not applicable.

The components of this product are reported in the following inventories:

### Switzerland. New notified substances and declared preparations :

not determined

### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

On the inventory, or in compliance with the inventory

# Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

### **China Inventory of Existing Chemical Substances:**

On the inventory, or in compliance with the inventory

# **Taiwan Chemical Substance Inventory:**

On the inventory, or in compliance with the inventory

### **Section: 16. OTHER INFORMATION**

Issuing date : 02.04.2024

version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

916743-06 9 / 10

# **NEXT GEN ALKALI**

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

916743-06 10 / 10