

Page: 1 of 6

Infosafe No™ 3NUWQ

Issue Date :October 2024

ISSUED by NUFARMNZ

Product Name **SERO®** 750WG

Section 1 - Identif	ication
Product Identifier	SERO® 750WG
Product Code	00603
Product Type	Herbicide
Company Name	Nufarm NZ
Address	Central Park, Building 3, Level 4, 666 Great South Road Ellerslie Auckland 1051 New Zealand
Telephone/Fax Number	Tel: 0-9-270 4150
Emergency Phone Number	0800 651 911
Email	nzinfo@nufarm.com
Recommended uses and any restrictions on use or supply	For the control of broadleaf weeds in wheat, barley and oats, and for use in conservation tillage.
Other Information	This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.
Section 2 - Hazard	l(s) Identification
the substance/mixture	Skin corrosion/irritation: Category 2 Eye irritation Category 2 Skin sensitization: Category 1 Specific target organ toxicity - repeated exposure: Category 2 Hazardous to the terrestrial environment: Hazardous to soil organisms Hazardous to the aquatic environment acute Category 1 Hazardous to the aquatic environment chronic Category 1
Signal Word (s)	WARNING
Hazard Statement (s)	H315 Causes skin irritation H319 Causes serious eye irritation H317 May cause an allergic skin reaction H373 May cause damage to organs through prolonged or repeated exposure H410 Very toxic to aquatic life with long lasting effects H421 Very toxic to the soil environment
Precautionary Statement – General	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
Pictogram (s)	Health hazard, Environment
Precautionary Statement – Prevention	P264 Wash hands and face thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P272 Contaminated work clothing should not be allowed out of the workplace. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment.
Precautionary Statement – Response	P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Print Date: 10/31/2024	6 · 2)



infosafe cs: 3.5.5

Page: 2 of 6

Infosafe No™ 3NUWQ

Issue Date :October 2024

ISSUED by NUFARMNZ

Product Name SERO® 750WG

P337+P313 If eye irritation persists: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P391 Collect spillage. P501 Dispose of contents/container to an approved landfill.

Precautionary Statement – Disposal

Section 3	- Com	position a	nd Info	ormation	on]	Ingredients
~~~~~~	~ ~ ~ ~ ~ ~	p 0 0 1 1 0 11 10			· · · ·	

Chemical Characterization	Solid		
Ingredients	Name	CAS	Proportion
_	Tribenuron-methyl Ingredients determined to be non-hazardous	101200-48-0	750 g/kg 250 g/kg

### Section 4 - First Aid Measures

First-aid Measures	For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical attention.
Inhalation	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Ingestion	Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.
Skin	Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance.
Eye	Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Seek medical assistance. Remove contact lenses, if present and easy to do.
First-aid Facilities	Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.
Advice to Doctor	Treat symptomatically. No specific antidote.

#### **Section 5 - Firefighting Measures**

Suitable Extinguishing Media	Water fog, carbon dioxide or dry chemical.
Special protective equipment for	Full protective clothing and self-contained breathing apparatus.
fire-fighters	
Specific Methods	Keep up wind. Do not allow washings to reach sewage or effluent systems. Keep containers cool with water spray.
Specific hazards arising from the chemical	Dust explosion possible if in powder or granular form, mixed with air.
Hazchem Code	22
Decomposition Temperature	Information is not available.
Other Information	Location Certificate: Not applicable Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

#### Section 6 - Accidental Release Measures

Spills and Disposal Wear protective clothing. Clear area of unprotected personnel. Eliminate all ignition sources and naked lights. Use non-sparking utensils. Sweep or vacuum up solids without generating dust. Contain liquid spills and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for



Infosafe No™ 3NUWQ

Issue Date :October 2024 ISSUED by NUFARMNZ

Product Name **SERO® 750WG** 

Personal Protection	disposal in an approved landfill. For appropriate personal protective equipment (PPE), refer Section 8.
Environmental Precautions	Prevent from entering drains, waterways or sewers. This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Prevent contamination of soil and water.

## Section 7 - Handling and Storage

Precautions for Safe Handling	The person mixing or applying Sero 750WG must be a 'Qualified Contractor' or a 'Qualified Person'. The spray mixture may also be prepared by a 'Qualified Loader'. It is the duty of the PCBU that a person who uses, handles, manufactures or stores a hazardous substance (including hazardous waste) is provided information, instruction and training in accordance with Regulation 4.5 of the Health and Safety at work (Hazardous Substances) Regulations 2017. This product must not be applied into or onto water. Avoid skin and eye contact and inhalation of spray mist. BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. CERTIFIED HANDLER : Is not required. TRACKING : Is not required. RECORD KEEPING: Records of use, as described in NZS 8409 Management of Agrichemicals, must be kept if 3kg or more of Sero 750WG is applied within 24 hours. Records must be kept for a minimum of 3 years from application date.
Conditions for safe storage, including any incompatibilities	Keep out of reach of children. Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100kg of Sero 750WG are subject to signage, and more than 100kg require emergency response plans.
Other Information	Always read the label and any attached leaflet before use. Aggregate Storage Volume Thresholds: When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

### **Section 8 - Exposure Controls and Personal Protection**

Occupational Exposure Limits (OEL)	No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product.
Appropriate Engineering Controls	Handle in well ventilated areas, generally natural ventilation is adequate.
Personal Protective Equipment	When opening the container,preparing spray and using the prepared spray wear safety goggles with side shields, waterproof gloves,cotton overalls buttoned to the neck and wrist, and boots.
Hygiene Measures	Do not eat,drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work. Wash splashes of concentrate from skin immediately.

### Section 9 - Physical and Chemical Properties

Form	Solid
Appearance	Off white to cream free flowing cylinderical rod shaped granule.
Odour	Information is not available.
Decomposition Temperature	Information is not available.
<b>Melting Point</b>	>100°C
Solubility in Water	Disperses in water. Not soluble.

Print Date: 10/31/2024



## Page: 4 of 6

Infosafe No™ 3NUWQ Issue Date :	October 2024 ISSUED by NUFARMNZ
---------------------------------	---------------------------------

Product Name SERO® 750WG

рН	5.0-8.0 (1% aq)
Vapour Pressure	5.2 x 10 ^{$-5mPa$} (25 ^{$\circ$} C) for tribenuron-methyl.
Vapour Density (Air=1)	Information is not available.
<b>Odour Threshold</b>	Information is not available.
Partition Coefficient: n-octanol/water	Kow LogP = 0.78(pH7, 25°C) for tribenuron-methyl.
Density	~560g/L
Flash Point	Information is not available.
Flammability	Information is not available.
Auto-ignition Temperature	Information is not available.
Flammable Limits - Lower	Information is not available.
Flammable Limits - Upper	Information is not available.
Initial Boiling Point and Boiling Range	Information is not available.
Kinematic Viscosity	Information is not available.
Particle Characteristics	Information is not available.
<b>Other Information</b>	(WG) Water Dispersible Granule

### Section 10 - Stability and Reactivity

Chemical Stability	Stable under normal conditions of handling and
Conditions to Avoid	Temperature extremes.
Hazardous Polymerization	Hazardous polymerisation will not occur.

## Section 11 - Toxicological Information

Acute Toxicity - Oral	LD50 (rat) >5,000 mg/kg for tribenuron-methyl
Acute Toxicity -	LC50 (rat) (4hr) >5.0 mg/l for tribenuron-methyl
Inhalation Acute Toxicity -	LD50 percutaneous (rabbit) >5,000mg/kg for tribenuron-methyl.
Dermal	
Skin	Causes skin irritation.
Corrosion/Irritation Serious Eye	Causes serious eye irritation.
Damage/Irritation	
Skin Sensitisation	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Information is not available.
Carcinogenicity	Information is not available.
Reproductive Toxicity	Information is not available.
STOT - Single Exposure	Information is not available.
STOT - Repeated Exposure	May cause damage to organs through prolonged repeated exposure.
Aspiration Hazard	Information is not available.

storage.



infosafe cs: 3.5.5

Page: 5 of 6

Infosafe No™ 3NUWQ	Issue Date :October 2024	ISSUED by NUFARMNZ
--------------------	--------------------------	--------------------

Product Name **SERO®** 750WG

Subchronic/Chronic Toxicity	A 90-day rat subchronic feeding study conducted at dose levels of 0, 5, 87.5, and 250mg/kg/day with a NOEL of 5 mg/kg/day and a LOEL of 87.5mg/kg/day.		
Other Information	n The Australian Acceptable Daily Intake (ADI) for tribenuron-methyl for a his 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.95 mg/kg/day, the level determined to show no effect during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of APVMA, 'ADI List', Edition 2/2024).		
Section 12 - Ecolo	gical Information		
Persistence and Degradability	Information is not available.		
Mobility	Information is not available.		
Environmental Fate	Tribenuron-methyl is rapidly and extensively metabolised in plants and animals. DT50 of tribenuron methyl in field soils of intended use 3.5-5.1 d. Degradation in soil occurs primarily by aqueous hydrolysis and by direct microbial degradtion. Hydrolysis is faster in acidic rather than alkaline soils.		
Bioaccumulative Potential	Tribenuron methyl has low bioaccumulation potential. kow LogP = 0.78 (25°C).		
Acute Toxicity - Fish	LC50 (96hr) for rainbow trout is 738 mg/l for tribenuron-methyl.		
Acute Toxicity - Daphnia	LC50 (48hr) for daphnia is 894 mg/l for tribenuron-methyl.		
Acute Toxicity - Algae	EC50 (120h) for green algae 0.0208 mg/l for tribenuron-methyl.		
Acute Toxicity - Other Organisms	LD50 for bobwhite quail is >2,250 mg/kg for tribenuron-methyl.		

#### Section 13 - Disposal Considerations

Product DisposalDispose of product only by using according to the label, or at an approved<br/>landfill.Container DisposalTriple rinse empty container and add rinsate to spray tank. Recycle empty<br/>container. Otherwise crush and bury in a suitable landfill.

#### **Section 14 - Transport Information**

Section 14 - Trans	
Transport Information	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.
UN Number	3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (tribenuron-methyl)
Hazard Class	9
Hazchem Code	22
Packaging Method	-
Packing Group	III
EPG Number	-
IERG Number	47
IMO Marine Pollutant	Yes. Environmentally Hazardous Substance mark required.
IMDG EMS	F-A, S-F
Other Information	Do not carry more than 3KG of Sero 750WG on a passenger service vehicle. Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.



#### Page: 6 of 6

Infosafe No™ 3NUWQ

Issue Date : October 2024

ISSUED by NUFARMNZ

Product Name SERO® 750WG

### Section 15 - Regulatory Information

Section 15 - Regui		
National and or International Regulatory Information	Registered pursuant to the ACVM Act 1997, No. P9295 See www.foodsafety.govt.nz for registration conditions Approved pursuant to the HSNO Act 1996, Approval Code HSR101070 See www.epa.govt.nz for approval controls.	
Section 16 - Any Other Relevant Information		
Date of preparation or last revision of SDS	June 2021.	
Contact Person/Point	IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE 24Hr Tollfree Emergency No: 0800 651 911 24Hr Emergency No: National Poisons Centre Phone: 0800 764 766	
Revisions Highlighted	Various changes and updates made to the document to comply with GHS7.	

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.